


# MATERIAL HANDLING



**STURDY**  
**PRODUCTS LTD**

# STURDY TOTE BUGGYS & TROLLEYS

The Sturdy Tote Buggys and Laundry Trolleys are ideal for the transportation of various types of materials. All products are manufactured from UV stabilised medium density polyethylene. The material is available in a range of grades; compound, virgin or recycled (Jazz) material.

All products are lightweight, so can be easily moved, and can be fitted with non marking castors. They can be stacked if required to aid storage and are available in a range of colours.

They are suitable for use in laundries, hospitals, airports, hotels, building sites and other industries where quantities of materials are handled.

As optional extras the Buggys and Trolleys can be fitted with a PVC covers, plastic handles, a unique bar code to allow for traceability and your company name or logo.



250 LITRE  
TOTE BUGGY



330 LITRE  
TOTE BUGGY



500 LITRE  
TOTE BUGGY

## TOTE BUGGY 250

Length: 1000mm (39.5")  
Width: 700mm (27.5")  
Height: 810mm (32")

**Capacity: 250lt**

Code: 497-A

## TOTE BUGGY 330

Length: 1000mm (39.5")  
Width: 700mm (27.5")  
Height: 960mm (38")

**Capacity: 330lt**

Code: 148-A

## TOTE BUGGY 500

Length: 1000mm (39.5")  
Width: 900mm (27.5")  
Height: 960mm (38")

**Capacity: 500lt**

Code: 477-A

## LOADING TROLLEY

Length: 1000mm (39.5")  
Width: 900mm (27.5")  
Height: 960mm (38")

**Capacity: 830lt**

Code: 532-A

## LAUNDRY TROLLEY

Length: 1670mm (66")  
Width: 1000mm (39.5")  
Height: 860mm (34")

**Capacity: 1,200lt**

Code: 342-A

LOADING  
TROLLEY



LAUNDRY  
TROLLEY

## ALL PVC COVERS

Code: 446-A

# STURDY TRUCKING TROLLEYS

STANDARD TRUCKING TROLLEY



The Sturdy Trucking Trolley and Super Trucking Trolley are both manufactured from compounded medium density polyethylene UV stabilised material. This ensure that there is no colour residue that could stain items such as laundry or linen.

The body is supported by a galvanised steel frame and 4 heavy duty low noise castors on the underside. The support frame incorporates two channels, allowing the complete trolley to be forklifted.

Both trolleys are completely enclosed preventing any of its contents from falling out. The large PVC Curtain is kept closed by using an eyelet and turn button system. For extra security and to prevent its contents from falling out through the front opening, heavy duty straps are used on the Standard Trucking Trolley. These can also be incorporated into the Super Trucking Trolley if required. The large opening at the front of each Trucking Trolley allows easy access.

The handles on each trolley are recessed and are similar in style to a shopping trolley. The roof is sloped to allow rainwater to drain off, however the Super Trucking Trolley has an open top to allow for easy insertion of soiled laundry.

The Trucking Trolley is suitable for use in industry, hospitals, hotels and other commercial facilities where large quantities of materials are transported. Ideal for depot-to-depot transport/exchange

SUPER TRUCKING TROLLEY



SUPER TRUCKING TROLLEY  
TOP OPENING



## STANDARD

Length: 1,905mm (75")

Width: 1,245mm (49")

Height: 1,700mm (67")

Capacity: 4m3

Code: 372-A

## SUPER

Length: 2260mm (89")

Width: 1245mm (49")

Height: 2185mm (86")

Capacity: 5.5m3

Code: 481-A



# STURDY STACK-N-STORE

Sturdy Stack-N-Store is the perfect solution for all your storage problems. These storage containers are suitable for all areas of industry and can be used for storing a wide range of products.

Initially designed for the Laundry Industry, the containers are ideal for electricians, plumbers, carpenters or any type of trades person. The containers are currently being used in the laundry and equestrian industry as storage containers. The sky is the limit when it comes to the varying uses for the Stack-N-Store containers.

They are available in two sizes and can be manufactured in a variety of colours.

The Stack-N-Store containers fit neatly into domestic garages, workshops, warehouses and factories. They are unobtrusive and require little or no maintenance.

It is recommended that the containers are stacked no more than three high for easy access from the ground. They can be stacked higher but a step ladder would be required for access to the higher containers.

The Stack-N-Store containers are manufactured from UV stabilised medium density polyethylene, which can be 100% recycled at the end of its life.

## SMALL

Length: 700mm (27.5")

Width: 700mm (27.5")

Height: 650mm (25.5")

Capacity: 260lt

Code: 549-A

45ft HI-CUBE

Full Load: 285

## LARGE

Length: 850mm (33.5")

Width: 850mm (33.5")

Height: 650mm (25.5")

Capacity: 390lt

Code: 550-A

45ft HI-CUBE

Full Load: 225



SMALL

LARGE



# STURDY COLLAPSING TROLLEY



The Sturdy Collapsing Trolley does away with problems experienced with today's steel trolleys - excessive noise, dangerous protrusions and hygiene issues.

The Sturdy Collapsing Trolley is manufactured from UV stabilised compounded Polyethylene which is 100% recyclable. The compound material means it will not rust or require painting and there is no colour give off.

Kiss-off points placed along the sides of the trolley add strength and help minimise warping and distortion when fully loaded.

4 rubber tyre castors (2 braked and 2 non-braked), combined with our patented SP0401 vibration absorbing material ensure low noise and low resistance when transporting the trolley

The compounded polyethylene plastic body is designed to be easily cleaned with no areas difficult to reach.

Pivoting castors, integrated handles, low profile design, with a low centre of gravity, insure ease of manoeuvrability in places where there is space restrictions.

As an optional extras, each trolley can be fitted with a unique bar code to allow for traceability. The trolley also incorporates branding panels that can be screen printed with your company logo . It can also be manufactured in your own company colours or livery.

Length: 900mm (35.5")  
Width: 855mm (33.5")  
Height: 1,715mm (67.5")  
**Capacity: 1.08m<sup>3</sup>**  
Code: 458-A



# STURDY MATERIAL HANDLING TROLLEYS

Sturdy's Range of Material Handling Trolleys are unbeatable for price, functionality, durability and low noise. Each trolley has been carefully developed in conjunction with experts in the areas of material handling.

The body of each trolley is manufactured from UV stabilised medium density polyethylene material and can be manufactured in a range of different grades. From compounded material which ensures that there is no colour give off to recycled material for low cost, or a combination of both. We can help you decide on the best material selection for your application.

The body of each trolley is supported by a galvanised steel frame and 4 non-marking low noise castors on the underside. Each trolley comes with extremely durable plastic handles, allowing for easy manoeuvrability. All of the material handling trolleys have a sloped roof which prevents rainwater and residual deposits from collecting on the top of the unit. Holes can be inserted in the base of the trolleys to ensure that there is air movement within the trolley allowing it to "breathe" preventing internal condensation when fully loaded.

The full range of trolleys are suitable for use in hospitals, hotels, factories and other industries where storage and transportation is required.

The trolleys are fitted with a standard PVC Curtain which is kept in place with turn buttons.

## OPTIONAL EXTRAS

- PVC Curtain colour options.
- Documentation pouch on PVC Curtain
- Clear inspection panel on PVC Curtain.
- Bar codes fitted if necessary
- Shelving fitted in certain models
- Clothes rails fitted
- Castor variations
- Different turn button options
- Company branding applied
- Lockable trolleys

## TALLBOY TROLLEY Standard



Length: 900mm (36")  
Width: 700mm (27.5")  
Height: 1,830mm (72")  
**Capacity: 1.03m<sup>3</sup>**  
Code: 528-A

## MINIMAX TROLLEY PVC Curtain



Length: 1090mm (43")  
Width: 600mm (23.5")  
Height: 1620mm (64")  
**Capacity: 0.935m<sup>3</sup>**  
Code: 537-A (PVC Curtain)

## UTILITY TROLLEY Flat Top



Length: 870mm (34")  
Width: 600mm (23.5")  
Height: 1770mm (69.5")  
**Capacity: 0.820m<sup>3</sup>**  
Code: 412-A

## MINIMAX TROLLEY Plastic Door



Length: 1090mm (43")  
Width: 600mm (23.5")  
Height: 1620mm (64")  
**Capacity: 0.935m<sup>3</sup>**  
Code: 538-A (Plastic Door)

# STURDY MATERIAL HANDLING TROLLEYS

## UTILITY TROLLEY

Apex Top



Length: 870mm (34")  
Width: 600mm (23.5")  
Height: 1880mm (74")  
Capacity: 0.820m<sup>3</sup>  
Code: 412-B

## HOTEL TROLLEY

Dark Blue



Length: 900mm (36")  
Width: 700mm (27.5")  
Height: 1620mm (64")  
Capacity: 0.900m<sup>3</sup>  
Code: 350-A

## CARETEX TROLLEY

PURPLE



Length: 900mm (36")  
Width: 700mm (27.5")  
Height: 1620mm (64")  
Capacity: 0.900m<sup>3</sup>  
Code: 350-C

## UTILITY TROLLEY

Low Profile



Length: 870mm (34")  
Width: 600mm (23.5")  
Height: 1620mm (64")  
Capacity: 0.745m<sup>3</sup>  
Code: 498-A

## HOSPITAL TROLLEY

Light Blue



Length: 900mm (36")  
Width: 700mm (27.5")  
Height: 1620mm (64")  
Capacity: 0.900m<sup>3</sup>  
Code: 350-B

## COMPACT TROLLEY

Light Blue



Length: 880mm  
Width: 620mm  
Height: 1,300mm  
Capacity: 0.700m<sup>3</sup>  
Code: 499-A

# STURDY DRUMS-UP SPILL TRAY

The Sturdy Drums Up Spill Tray is designed for storing a 200Ltr drum and is suitable for use in all types of industry. A unique moulded pattern on the bottom of the tray allows the drum to sit comfortably in place.

The Spill Tray also acts as a drip tray for the drum. Any drips or small spills can be contained and emptied at a later stage. An integrated spout allows for easy drainage of any spills.

A portable version of the spill tray is also available. It can be mounted on a galvanised steel frame which contains 4 small castors. This allows the drum to be moved short distances around your premises. It should be noted that the portable spill tray should only be moved over smooth ground (i.e. a finished floor) and only over short distances.

It is manufactured from UV stabilised medium density polyethylene . and is 100% recyclable.



STATIC SPILL TRAY

**STATIC**  
Diameter: 830mm  
Height: 290mm  
Capacity: 25lt  
Code: 192-A

**PORTABLE**  
Diameter: 830mm  
Height: 350mm  
Capacity: 25lt  
Code: 193-A



PORTABLE SPILL TRAY



# STURDY DRUM DISPENSER



The Sturdy Drum Dispenser is not only a Drum Dispenser and a trolley for 200lt drums, but a secondary bunded container. If the drum leaks, the Drum Dispenser can contain the liquid inside until it can be safely disposed of through drain plugs.



The Sturdy Drum Dispenser is robust and is designed to endure constant use in industry. It is ergonomically designed for ease of operation and incorporates a foot step at the rear to help tip the unit during transport. Integrated ratchet strapping keeps the drums securely fastened.

Manufactured from UV stabilised polyethylene plastic, the Sturdy Drum Dispenser will not rust or fade, no painting is ever required and it has exceptional chemical resistance.



The Drum Dispenser can be manoeuvred by one person. When in a horizontal position, a large area at the front of the product can accommodate a bucket to help when emptying the drum.

The product come as standard in a highly visible yellow colour, but others are available upon request.

## DRUM DISPENSER


Length: 1,600mm (63")

Width: 800mm (31.5")

Height: 600mm (23.5") - Horizontal Position

**Capacity: 200lt**

Code: 160-A



# STURDY FLUORESCENT TUBE RECYCLING

The Sturdy Fluorescent Tube Recycling Boxes are specifically designed for the collection of waste fluorescent tube bulbs for disposal. The lightweight lid allows for easy insertion of the fluorescent tubes into the body of the container.

Two lockable clasps are included on the lid of the 6ft version. This prevents unauthorized access when in use. On the 8ft version, two Velcro straps keep the lid secured.

Two large rear wheels and two swivel castors in the front ensure that both products are easy to transport. The one piece stress free body of the product is sealed to prevent the possibility of a leakage. The design of the unit allows it to be lifted vertically to pass through tight doorways and corridors.

The fluorescent tube recycling box comes in high visibility yellow as standard but is also available in a range of other colours.

As an optional extra your company name or logo can be printed on the side of the fluorescent tube recycling box to help promote your company.

## 6ft CONTAINER

Length: 1,930mm (27.5")  
Width: 560mm (27.5")  
Height: 620mm (25.5")  
Code: 549-A

## 8ft CONTAINER

Length: 2,685mm (33.5")  
Width: 430mm (33.5")  
Height: 345mm (25.5")  
Code: 549-A

**Capacity: 200 X 6ft Tubes**

**Capacity: 140 X 8ft Tubes**



6ft CONTAINER



8ft CONTAINER

# STURDY WHEELED BINS



240lt PLASTIC BIN



400lt PLASTIC BIN



660lt PLASTIC BIN



1100lt STEEL BIN

The plastic wheeled bins from Sturdy Products are manufactured from high-density injection moulded polythene and are fully UV stabilised. These bins are fitted with two/four 200mm heavy duty wheels/castors. On the 4 wheeled bins, two of the wheels fitted with directional locks as standard. The bins integrate with all modern comb and DIN lifting systems. Serial numbers come on all containers as standard and a drain plug on the base of the containers simplifies cleaning.

As an optional extra your company name or logo can be hot foil stamped or silk screened onto the body of the bin to help promote your company.

This EN-840 Standard approved steel bins comes complete with an easy to lift double skin rotationally moulded plastic lid. The sloped lid allows rainwater to drain off and also keeps rainwater out. Each bin is fitted with four 200mm solid rubber tyre wheels and again two of the wheels are fitted with directional locks as standard. The containers come pre drilled as standard. to accept a bin chip nest. Each container includes a plate containing the unique serial number of the container.


This galvanised container can be finished in a coloured coating to give an aesthetically pleasing look and durable finish and are available in a range of colours.

240lt PLASTIC BIN  
 Length: 725mm (32.5")  
 Width: 580mm (29.5")  
 Height: 1,075mm (45")  
 Code: 117-A

400lt PLASTIC BIN  
 Length: 820mm (32.5")  
 Width: 750mm (29.5")  
 Height: 1,140mm (45")  
 Code: 428-A

660lt PLASTIC BIN  
 Length: 1,260mm (49.5")  
 Width: 740mm (29")  
 Height: 1,320mm (48.5")  
 Code: 047-A

1100lt STEEL BIN  
 Length: 1,265mm (50")  
 Width: 1,000mm (39.5")  
 Height: 1,410mm (55.5")  
 Code: 514-A



**STURDY**

**PRODUCTS LTD**

**STURDY PRODUCTS LIMITED**


**Blessington Industrial Estate,  
Blessington,  
Co Wicklow,  
Ireland**

**Tel: +353 (0)45 865044**

**Fax: +353 (0)45 865721**

**E-mail: [sales@sturdyproducts.com](mailto:sales@sturdyproducts.com)**

**Website: [www.sturdyproducts.com](http://www.sturdyproducts.com)**



All capacities are +/- 10%